Regional Remediation Team



Ciba-Geigy Corporation P.O. Box 71 Toms River, NJ 08754

HD. NO.

FIFE LOO OTHER

Telephone 908 914 2500 Fax 908 914 2909

Monthly Progress Report No. 70

Submitted to: Mr. Frank Battaglia, Project Manager

USEPA Region I

Waste Management Building

90 Canal Street Boston, MA 02114

Submitted by:

Dr. Barry Berdahl, C.H.M.

Project Coordinator Ciba Corporation Toms River Site Route 37 West

Toms River, NJ 08754

Pursuant to:

RCRA I-88-1088

Facility Site:

Cranston, RI

Period Covered: April 1996 (April 30, 1996 - May 3, 1996) through

fifth Friday of the month.

Date Submitted: May 10, 1996

1.0 SUMMARY

This is the seventh monthly progress report. There were three areas of significant activity this month:

- Stabilization IRM The groundwater extraction wells 110 and 120 and the pretreatment system continued to operate during April with no problems. The Soil Vapor Extraction (SVE) System still has not become operational because of software problems. This item of concern will be addressed in 3.0 Jeopardy Tasks.
- Sediment Removal IRM The revision of this report is almost complete and should be submitted to EPA by mid-May.
- Pawtuext River CMS Report Ciba and its consultants started work on the CMS report in mid-April. We anticipate preparation of a "focused" report similar to the On-Site CMS, where only 3-4 alternatives will be considered for evaluation/selection. The CMS will be addressed further below.

2.0 TASKS AND ACTIVITIES COMPLETED

Sampling and other task activities are reported here.

2.1 Sampling Activities Completed

On April 29 to May 1, Ciba re-sampled the 17 wells in the Production Area (see Attachment 1, Figure 1) to verify the previous volatile organic results and obtain further information about soluble metals data, especially monitoring well 0136 (see 5.0 Data obtained). The wells were first sampled on March 5th and 6th.

2.2. Media Protection Standards (MPS)

As required for the Pawtuxet River CMS Report, Ciba submitted preliminary MPS to the EPA on May 3rd for six (6) volatile organics found in the groundwater at the former Production Area. These MPS are based upon the Toxicity Reference Values (TRVs) for benthic invertebrates established in the <u>Pawtuxet River RFI Report</u>, <u>Volume 3: Aquatic Baseline Ecological Risk Assessment</u>, March 31, 1996. The point of compliance would be the three river sediment wells SW-110,120, and 130. The preliminary MPS are: 1,2 Dichlorobenzee 94 PPB, Chlorobenzene 1,700 PPB, Ethylbenzene 12,000 PPB, O-Chlorotoluene 1,500 PPB, Toluene 5,000 PPB, and Total Xylenes 38 PPB. Currently, these MPS/TRVs are being met at the compliance point(s).

3.0 JEOPARDY TASKS

As noted in 1.0 Summary, the SVE system has still not become fully, and continuously, operational because of a software programming problem. However, this is not as great a concern as before because the toluene level in the groundwater has decreased greatly and is almost entirely captured by the two extraction wells (see 5.0 Data Obtained). As a result, operation of the SVE may still be necessary to reduce soil volatile levels near SWMU11 but not those in groundwater.

4.0 OTHER TASKS UNDERWAY

Currently, the Pawtuxet River CMS Report is the most critical task underway. It is scheduled for submittal to the EPA by June 30, 1996. Ciba sent a draft outline for the report to EPA on May 3rd. Since the report will be a "focused" document similar to the On-Site CMS, we would appreciate any comments as soon as possible.

5.0 DATA OBTAINED

5.1 Groundwater Sampling

On March 5 and 6, 1996, Ciba sampled 17 wells and peizometers in the Production Area, as shown in Figure 1 Attachment 1. All 17 samples were analyzed for volatile orgaincs (VOCs) and total metals. A subset of nine (9) samples taken from the soil removal IRM areas (MW002s, 020s, and 021s), along the shoreline (MW-001s, 110, and 120), and in the river sediments (SW-110, 120, 130) were tested for PCBs and

pesticides, including Methyl Parathion. Five (5) samples collected along the shoreline (MW-001s, 110 and 120) and in the river sediments (SW-110 and 130), from the subset of nine (9) samples, were also analyzed for semivolatiles, base, neutrals, and acid extractable organics, including 4-Chloroaniline. The results are summarized in Attachment 1 by group (volatiles, semi's, etc.) and compound.

PCBs and pesticides were not detected. The levels of semivolatiles, which included some PAHs, were very low. As expected, most of the contaminants identified were volatiles, metals and cyanide. Six (6) volatiles occurred at elevated concentrations, including: 1,2-Dichlorobenzene (Figure 2), Chlorobenzene (Figure 3), Ethylbenzene (Figure 4), O-chlorotoluene (Figure 5), Toluene (Figure 6) and Total Xylenes (Figure 7). However, there has been a significant decrease in these volatiles, sometimes several fold, since the last groundwater samples were taken during the RFI Phase I and II assessments in 1991/1992. This may be attributable to a combination of degradation and natural attenuation.

Except for 1,2-Trans-Dichloroethylene in Well MW-002s, the other volatiles (Benzene, Chloroform, Tetrachloroethylene, and Trichlorethylene) were estimated "J" values or found at very low levels. They do not appear to be significant contaminants.

The concentration of metals in one well (MW-13S) was extremely high and is inconsistent with the much lower previous RFI data. Generally, cyanide and metals have not been a concern in the Production Area groundwater. Ciba will investigate further.

5.2 Groundwater Stabilization

Woodward Clyde Consultants (WCC) have been preparing a letter report on the contaminant mass intercepted by the groundwater extraction wells 110 and 120. It was revised to include the recent groundwater sampling results of March 5 and 6 for volatiles only. WCC estimates that 96% of the mass of the six (6) elevated volatile compounds identified above in 5.1 are being captured. Ciba notes that this would satisfy the requirements of the 1992 Consent Order Modification to significantly reduce or prevent the volatiles in the groundwater from reaching the Pawtuxet River. The current groundwater extraction system (wells 10 and 120) is already meeting the preliminary MPS/TRVs established for the compliance points (wells). As such, there is no need to reverse the entire gradient which was primarily a design goal of the Stabilization IRM.

6.0 PROBLEM AREAS

There are no problems, which are not being resolved, in a timely manner.

7.0 SCHEDULE OF TASKS (next two months)

The following tasks will be started or completed in April and May.

- Finish the Sediment Removal IRM Report (May)
- Startup the SVE continuously (May)

• Continue the River CMS Report (May)

8.0 CHANGES IN WORK PLAN

No changes to the Work Plan are proposed at this time; however, we have requested that the Toxicity Indicator Evaluations (TIES) in the Phase II River Study be eliminated based upon the results of the Aquatic Baseline Ecological Risk Assessment, submitted on March 29..

9.0 OTHER COMMENTS

Since the On-Site RFI and CMS were submitted in July and Sept. 1995, respectively, we are anticipating comments from the EPA and RIDEM on these documents.

\MNTCRPRO\B

Ciba- Monthly Report Distribution List

Mr. Frank Battaglia (Fedx 2 copies)
USEPA Region I (w)
Waste Management Building
90 Canal Street
Boston, MA 02114
(617) 573-9643
(617) 573-9662 Fax

Ms. Doris Aschman
RIDEM (w)
Division of Site Remediation
291 Promenade Street
Providence, RI 02908-5767
(401) 277-3872 Ext 7103

Mr. Ed Garland HydroQual, Inc. (w/o) 1 Lethbridge Plaza Mahwah, NJ 07430 (201) 529-5151 (201) 529-5728 Fax Mr. Tom Marshall PTRL Environmental Services (w/o) Four Oaks Center 1942 Oak Ridge Turnpike Oak Ridge, TN 37830 (615) 482-4337 (615) 482-4514 Fax

Mr. Mark Houlday Woodward-Clyde Consultants (w) One Cranberry Hill Lexington, MA 02173 (617) 863-0667 (617) 863-0807 Fax

CONSTITUENTS DETECTED FOR MARCH 5/6 1996 GROUNDWATER SAMPLING EVENT (EXCLUDES NONDETECTS)

	DATE	UNITS	•		
WELL	SAMPLED	UG/L		VALUE	METHOD
VOLATILE (ORGANIC COMPOUNDS			•	METHOD.
MW-002S	5-Mar-96 1,2-DICHLOROBENZENE	UG/L		340	624
MW-004S	6-Mar-96 1,2-DICHLOROBENZENE	UG/L		89	624
SW-110	#####6-Mar 96##2!DICH!!OROBENZENE	###UG/L		54	624
MW-120	5-Mar-96 1,2-DICHLOROBENZENE	UG/L	J	18	624
MW-002S	5-Mar-96 1,2-TRANS-DICHLOROETHYLE			61	624
MW-002S	5-Mar-96 BENZENE	UG/L	J	42	624
MW-110	6-Mar-96 BENZENE	UG/L	J	13	624
MW-001S	6-Mar-96 BENZENE	UG/L	Ĵ	7.3	624
SW-120	5 Mar 96 Benzene	UG/L		1.77	
MW-004S	6-Mar-96 BENZENE	UG/L	J	1.4	624
MW-002S	5-Mar-96 CHLOROBENZENE	UG/L		3200	624
MW-001S	6-Mar-96 CHLOROBENZENE	UG/L		2000	624
SW-110	6:Mar96:GHOROBENZENE	JE UG/L		1600	
MW-110	6-Mar-96 CHLOROBENZENE	UG/L		900	624
MW-120	5-Mar-96 CHLOROBENZENE	UG/L	·	460	624
P-036S	6-Mar-96 CHLOROBENZENE	UG/L		440	624
MW-004S	6-Mar-96 CHLOROBENZENE	UG/L		210	624
MW-022S	5-Mar-96 CHLOROBENZENE	UG/L		200	624
SW-120	5:Mare 96: CHILOROBENZENE	WUG/L		200	624
MW-013S	6-Mar-96 CHLOROBENZENE	UG/L		7.6	624
MW-003S	6-Mar-96 CHLOROBENZENE	UG/L		5.7	624
MW-012S	5-Mar-96 CHLOROBENZENE	UG/L	J	2.4	624
P-038S	6-Mar-96 CHLOROBENZENE	UG/L	J	2.4	624
MW-010S	5-Mar-96 CHLOROFORM	UG/L	Ť	2.2	624
MW-004S	6-Mar-96 ETHYLBENZENE	UG/L		110	624
MW-012S	5-Mar-96 ETHYLBENZENE	UG/L		77	624
MW-001S	6-Mar-96 ETHYLBENZENE	UG/L		28	624
MW-002S	5-Mar-96 ETHYLBENZENE	UG/L	J	27	624
SW##O	O-Mar: 6 Entyleranzane	DGA		19	624
MW-013S	6-Mar-96 ETHYLBENZENE	UG/L	********	5.6	624
MW-004S	6-Mar-96 O-CHLOROTOLUENE	UG/L		1700	624
MW-021S	6-Mar-96 O-CHLOROTOLUENE	UG/L		480	624
MW-110	6-Mar-96 O-CHLOROTOLUENE	UG/L		75	624
SW410	6-Marso o chierotoluene	UC/E		55	624
MW-003S	6-Mar-96 O-CHLOROTOLUENE	UG/L	**********	13	624
MW-022S	5-Mar-96 O-CHLOROTOLUENE	UG/L		12	624
SW 130	6-Mar 96 0-04 LOROTO LUENE	UG/U		6.5	624
MW-010S	5-Mar-96 TETRACHLOROETHYLENE	UG/L		6.3	624
MW-004S	6-Mar-96 TETRACHLOROETHYLENE	UG/L		3.3	624
MW-004S	6-Mar-96 TOLUENE	UG/L		2100	624
SW#[10]	6-Mar-96-T/OLUENE	UG/L		460	624
MW-002S	5-Mar-96 TOLUENE	UG/L	terrinary.	200	624
MW-001S	6-Mar-96 TOLUENE	UG/L		16	624
				- 10	. 024

CONSTITUENTS DETECTED FOR MARCH 5/6 1996 GROUNDWATER SAMPLING EVENT (EXCLUDES NONDETECTS)

	DATE	UNITS			
WELL	SAMPLED	UG/L	ВΩ	VALUE	METHOD
MW-021S	6-Mar-96 TOLUENE	UG/L	J	12	
MW-003S	6-Mar-96 TOLUENE	UG/L		11	624
P-038S	6-Mar-96 TOLUENE	UG/L	J	1.3	624
MW-010S	5-Mar-96 TRICHLOROETHYLENE	UG/L	J	1.4	624
MW-004S	6-Mar-96 XYLENES, TOTAL	UG/L		300	624
MW-012S	5-Mar-96 XYLENES,TOTAL	UG/L		75	624
MW-001S	6-Mar-96 XYLENES,TOTAL	UG/L		18	624

SEMIVOLATILE ORGANIC COMPOUNDS

CVAZZANO III		200 - 100 -			
SW 110	6-Mar 96 12 DICHEOROBENZENE	HHUG/L		38	625
MW-120	5-Mar-96 1,2-DICHLOROBENZENE	UG/L		13	625
MW-110	6-Mar-96 1,2-DICHLOROBENZENE	UG/L	J	1.2	625
MW-001S	6-Mar-96 1,2-DICHLOROBENZENE	UG/L	J	1.1	625
MW-120	5-Mar-96 2,4-DIMETHYLPHENOL	i UG/L	J	1.7	625
MW-001S	6-Mar-96 2,4-DIMETHYLPHENOL	UG/L	J	1.1	625
MW-001S	6-Mar-96 2-CHLOROPHENOL	UG/L		25	625
SW4110	####6-Mar-96#24CHEOROPHENOLE ####################################	JUG/L		51 - GVF	625
MW-110	6-Mar-96 2-CHLOROPHENOL	UG/L	******	3.5	625
MW-120	5-Mar-96 2-CHLOROPHENOL	UG/L	J	1.2	625
MW-110	6-Mar-96 ACENAPHTHENE	UG/L	J	1	625
MW-120	5-Mar-96 ACENAPHTHENE	UG/L	J	1	625
SW-1110	##6-Mag-96-ANIUNE	UG/U		20	111 625
MW-110	6-Mar-96 BENZO(A)ANTHRACENE	UG/L	J	1.4	625
MW-110	6-Mar-96 BENZO(A)PYRENE	UG/L	J	1.3	625
MW-110	6-Mar-96 BENZO(K)FLUORANTHENE	UG/L	J	1.3	625
MW-110	6-Mar-96 BIS(2-ETHYLHEXYL)PHTHALAT		J	1.6	625
MW-110	6-Mar-96 CHRYSENE	UG/L	Ĵ	1.4	625
MW-110	6-Mar-96 FLUORANTHENE	UG/L		3.9	625
MW-110	6-Mar-96 FLUORENE	UG/L		1.8	625
MW-001S	6-Mar-96 NAPHTHALENE	UG/L		23	625
MW-120	5-Mar-96 NAPHTHALENE	UG/L	···	18	625
MW-110	6-Mar-96 NAPHTHALENE	UG/L		5	625
SW 110	6 Mar96 Narhifhatene	UG/L		36	625
MW-001S	6-Mar-96 NITROBENZENE	UG/L		4.1	625
MW-110	6-Mar-96 PHENANTHRENE	UG/L		2.1	625
MW-001S	6-Mar-96 PHENOL	UG/L		15	625
MW-110	6-Mar-96 PHENOL	UG/L		8.6	625
MW-120	5-Mar-96 PHENOL	UG/L		2.8	625
MW-110	6-Mar-96 PYRENE	UG/L		3.2	625
		<u> </u>		3.∠	023

TOTAL METALS

MW-013S	6-Mar-96JARSENICHTOTAL	UG/L	3900	20017
P-038S	6-Mar-96 ARSENIC, TOTAL	UG/L	61	200.7
MW-003S	6-Mar-96 ARSENIC, TOTAL	UG/L	58	200.7

CONSTITUENTS DETECTED FOR MARCH 5/6 1996 GROUNDWATER SAMPLING EVENT (EXCLUDES NONDETECTS)

	DATE	UNITS			
WELL	SAMPLED	UG/L	ВГ	VALUE	METHOD
MW-021S	6-Mar-96 ARSENIC, TOTAL	UG/L		56	200.7
SW-120	5-Mar 96 ARSENIC TOTAL	UG/L		43	200.7
MW-002S	5-Mar-96 ARSENIC, TOTAL	UG/L	******	27	200.7
SW-110	6-Mar 96 ARSENIC TOTAL	⊌G/L		23	20017
SW-120	####5-Mar-96/BERY/HUM#T@TAU###	UG/I		9.6	2007
MW-110	6-Mar-96 BERYLLIUM, TOTAL	. UG/L	4.0-11-30.	1.8	200.7
MW-001S	6-Mar-96 BERYLLIUM, TOTAL	UG/L	-	0.55	200.7
SW-130	####6-Mar-96-BERYUUUM和@TAU###	UG/L		0.54	2007
MW-120	5-Mar-96 BERYLLIUM, TOTAL	UG/L	·	0.48	200.7
SW-110	####6-Mag96-BERXHUMTI@TAL	UG/L		0.38	2007
MW-013S	#####6#Mara96#CADMIUMFROTTAL	UG/L	×	1200	20017
SW:120	####5=Mare96@CADMIUMPTOTAL#####	UG/L		36	20017
MW-001S	6-Mar-96 CADMIUM, TOTAL	UG/L		9.7	200.7
MW-110	6-Mar-96 CADMIUM,TOTAL	" UG/L		9.7	200.7
P-038S	6-Mar-96 CADMIUM,TOTAL	UG/L		8.3	200.7
P-036S	6-Mar-96 CADMIUM,TOTAL	UG/L		7.1	200.7
SW-110	THE 6 Mar 96 CADMIUM TOTAL THE	HANNE HUGAST		6.74	##200M
SW-130##	####6-Mar-96-CADMIUMarotta(#####	UG/E		5.1	
MW-003S	6-Mar-96 CADMIUM,TOTAL	UG/L		5	200.7
MW-021S	6-Mar-96 CADMIUM, TOTAL	UG/L	-	4.6	200.7
MW-010S	5-Mar-96 CHROMIUM, TOTAL	UG/L		910	200.7
MW-020S	5-Mar-96 CHROMIUM, TOTAL	UG/L		700	200.7
MW:0135	####6 Mar 96 GHROMIUM TOTAL	₩ G /L		480	20017
P-036S	6-Mar-96 CHROMIUM, TOTAL	UG/L		270	200.7
SW#120###	5:Mar-96: GHROMIUM:TOTAL	ۯ/L		140	20017
MW-110	6-Mar-96 CHROMIUM, TOTAL	UG/L		120	200.7
P-038S	6-Mar-96 CHROMIUM, TOTAL	UG/L		98	200.7
MW-022S	5-Mar-96 CHROMIUM, TOTAL	UG/L		50	200.7
SW#130	####6:Mar:96:CHROMIUMSTOTAL	⊌e/L		25	200.7
MW-021S	6-Mar-96 CHROMIUM, TOTAL	UG/L		21	200.7
MW-120	5-Mar-96 CHROMIUM, TOTAL	UG/L		21	200.7
SW#110	№ 6 4Маг 96 СНКОМШМ ТОТАЦ	UGA		20	2007
MW-001S	6-Mar-96 CHROMIUM,TOTAL	UG/L		17	200.7
SW#120	Mac 96 COBALLIN OTAL	UG/L		120	2007
MW-110	6-Mar-96 COBALT, TOTAL	UG/L		13	200.7
SW440	6-Мас 96 СОВАЧТЕОТА	UGJU		13	2007
SW 130	6:Mar:961@BAUTUTOJAU	ie/L		9.6	2007
MW-001S	6-Mar-96 COBALT,TOTAL	UG/L	********	9.1	200.7
MW-120	5-Mar-96 COBALT, TOTAL	UG/L		8.7	200.7
MW-013S	6-Mar-96-COPPER TOTAL	UG/U		840	2007
MW-002S	5-Mar-96 COPPER,TOTAL	UG/L		150	200.7
SW-120	5 Mar 96 COPPER TOTAL	UG/L		150	20017
P-036S	6-Mar-96 COPPER,TOTAL	ŲG/L		130	200.7
P-038S	6-Mar-96 COPPER,TOTAL	UG/L		130	200.7
			_		

CONSTITUENTS DETECTED FOR MARCH 5/6 1996 GROUNDWATER SAMPLING EVENT (EXCLUDES NONDETECTS)

	DATE	UNITS	•		
WELL	SAMPLED	UG/L	ВΓ	VALUE	METHOD
MW-110	6-Mar-96 COPPER,TOTAL	UG/L	DL	100	METHOD 200.7
SW-130	6-Mar-96:COPPER:TOTAL	UG/L		32	
MW-021S	6-Mar-96 COPPER,TOTAL	UG/L	amene.	24	200.7
SW-110	6-Mar 96 COPPER TOTAL	WWW WWW.		181	200.7
MW-020S	5-Mar-96 COPPER,TOTAL	UG/L	HICKSHIE	15	200.7
MW-001S	6-Mar-96 COPPER, TOTAL	UG/L		14	200.7
MW-022S	5-Mar-96 COPPER,TOTAL	UG/L		12	200.7
MW-120	5-Mar-96 COPPER,TOTAL	UG/L		12	200.7
MW-004S	6-Mar-96 COPPER,TOTAL	UG/L		8.8	200.7
MW-003S	6-Mar-96 COPPER, TOTAL	UG/L		7.7	200.7
MW-010S	5-Mar-96 COPPER, TOTAL	UG/L		7.3	200.7
MW-012S	5-Mar-96 COPPER,TOTAL	UG/L		4.1	200.7
MW-013S	6-Mar-96-LEAD-TOTAL	UG/L			200.7
P-036S	6-Mar-96 LEAD,TOTAL	ن UG/L		240	200.7
P-038S	6-Mar-96 LEAD,TOTAL	UG/L		230	200.7
MW-110	6-Mar-96 LEAD, TOTAL	UG/L		170	200.7
SW-120	SMar 96-LEAD-TOTAL TOTAL	H. THE TRUGIES	ry it		200.7
MW-002S	5-Mar-96 LEAD, TOTAL	UG/L	71.3135.2141	77	200.7
MW-120	5-Mar-96 LEAD, TOTAL	UG/L		53	200.7
MW-021S	6-Mar-96 LEAD, TOTAL #	UG/L		28	200.7
MW-013S##	63Mar⊧96 NJ@KELTI⊙TV/LE	UG/L	3 10 1	590	200.7
SW-120	5-Mar-96 NICKEL TO TAIL	Ue/i		200	200.7
MW-010S	5-Mar-96 NICKEL,TOTAL	UG/L	********	76	200.7
MW-004S	6-Mar-96 NICKEL, TOTAL	UG/L		52	200.7
SW430	6-Mär:96!NIGKELET@TIAL	UG/L		47.	2007
MW-110	6-Mar-96 NICKEL,TOTAL	UG/L		46	200.7
MW-020S	5-Mar-96 NICKEL, TOTAL	UG/L	_	41	200.7
MW-021S	6-Mar-96 NICKEL, TOTAL	UG/L		41	200.7
P-038S	6-Mar-96 NICKEL,TOTAL	UG/L		41	200.7
SW#110	6:Mar:96 NICKELLIOTAL	UG/L		341	2007
MW-001S	6-Mar-96 NICKEL,TOTAL	UG/L		32	200.7
MW-002S	5-Mar-96 NICKEL,TOTAL	UG/L		28	200.7
P-036S	6-Mar-96 NICKEL, TOTAL	UG/L		28	200.7
MW-022S	5-Mar-96 NICKEL, TOTAL	UG/L		27	200.7
MW-003S	6-Mar-96 NICKEL,TOTAL	UG/L		24	200.7
MW-120	5-Mar-96 NICKEL, TOTAL	UG/L		21	200.7
MW-012S	5-Mar-96 NICKEL,TOTAL	UG/L		19	200.7
MW 013S	6 Mac 96 SIEVERA OTA	UG/L		37	20017
MW-013S	Marge EZING TOTAL	UG/L		### 4800 #	20017
MW-002S	5-Mar-96 ZINC,TOTAL	UG/L		1500	200.7
MW-110	6-Mar-96 ZINC, TOTAL	UG/L	•	670	200.7
SW#120	5-Mar-96-ZING-TOTAL	UG/L		550#	200汉
P-036S	6-Mar-96 ZINC,TOTAL	UG/L		490	200.7
P-038S	6-Mar-96 ZINC,TOTAL	UG/L		200	200.7
					

CONSTITUENTS DETECTED FOR MARCH 5/6 1996 GROUNDWATER SAMPLING EVENT (EXCLUDES NONDETECTS)

	DATE	UNITS		
WELL	SAMPLED	UG/L	B[VALUE	METHOD
SW-130###	6 Mar 96 ZINC TOTAL			2007
MW-120	5-Mar-96 ZINC, TOTAL	UG/L	95	200.7
MW-021S	6-Mar-96 ZINC,TOTAL	UG/L	88	200.7
MW-004S	6-Mar-96 ZINC, TOTAL	UG/L	67	200.7
MW-020S	5-Mar-96 ZINC,TOTAL	UG/L	60	200.7
SW-110	MARSON OF AUTOMACHINE	UG/L	54	2007
MW-001S	6-Mar-96 ZINC,TOTAL	UG/L	53	200.7
MW-022S	5-Mar-96 ZINC,TOTAL	UG/L	18	200.7
MW-010S	5-Mar-96 ZINC, TOTAL	UG/L	13	200.7
MW-003S	6-Mar-96 ZINC, TOTAL	UG/L	12	200.7
MW-012S	5-Mar-96 ZINC,TOTAL	UG/L	6.1	200.7
TOTAL OVA	AUDE			
TOTAL CYA				
MW-013S	6-Mar-96 CYANIDE	₩G/L	0.59	335.2
MW-120	5-Mar-96 CYANIDE	MG/L	0.42	335.2
P-036S	6-Mar-96 CYANIDE	MG/L	0.36	335.2
MW-110	6-Mar-96 CYANIDE	MG/L	0.093	335.2
MW-002S	5-Mar-96 CYANIDE	MG/L	0.053	335.2
MW-001S	6-Mar-96 CYANIDE	MG/L	0.034	335.2
SWEI10	FILE 6 Mar 96 CYANIDE	MG/L	0032	
P-038S	6-Mar-96 CYANIDE	MG/L	0.02	335.2
MW-012S	5-Mar-96 CYANIDE	MG/L	0.018	335.2
MW-022S	5-Mar-96 CYANIDE	MG/L	0.014	335.2
MW-004S	6-Mar-96 CYANIDE	MG/L	0.012	335.2


PESTICIDE/PCB

SW#110 UC/I UC/I UC/I UC/I UC/I UC/I UC/I UC/I	กล
Note: "I" - Calimated at the state of the st	

Note: "J" = Estimated value below the detection limit.


CIBA-GEIGY CORPORATION CRANSTON, RI FACILITY PRODUCTION AREA

Well Monitoring Locations For March 5&6, 1996




- Monitoring Well
- Production Well

1,2 DICHLOROBENZENE (ppb)




- Monitoring Well
- Production Well

CHLOROBENZENE (ppb)




- Monitoring Well
- Production Well

ETHYLBENZENE (ppb)




- Monitoring Well
- Production Well

O-CHLOROTOLUE (ppb)



- Monitoring Well
- Production Well


TOLUENE (ppb)



- Monitoring Well
- Production Well

CIBA-GEIGY CORPORATION CRANSTON, RI FACILITY March 5&6, 1996

TOTAL XYLENES (ppb)



- Monitoring Well
- Production Well

ATTACEMENT 2

DRAFT OUTLINE

PAWTUXET RIVER CMS REPORT

ES EXECUTIVE SUMMARY

1.0 INTRODUCTION

1.1 OVERVIEW

1.2 REPORT ORGANIZATION

1.3 PROJECT BACKGROUND

- 1.3.1 SITE HISTORY
- 1.3.2 PROJECT HISTORY
- 1.3.3 INTERIM REMEDIAL MEASURES
- 1.3.4 SWMUs, AOCs, AND AAOIs

1.4 PHYSICAL CHARACTERIZATION

- 1.4.1 GEOLOGIC SITE MODEL
- 1.4.2 HYDROGEOLOGIC MODEL
- 1.4.3 HYDROLOGIC MODEL

1.5 SOURCE CHARACTERIZATION

- 1.5.1 PRODUCTION AREA
- 1.5.2 WASTE WATER TREATMENT AREA
- 1.5.3 WARWICK AREA
- 1.5.4 SUMMARY OF POTENTIAL SOURCES TO THE PAWTUXET RIVER

1.6 RELEASE CHARACTERIZATION

- 1.6.1 PRODUCTION AREA GROUNDWATER RESULTS
- 1.6.2 PAWTUXET RIVER SURFACE WATER RESULTS
- 1.6.3 PAWTUXET RIVER SEDIMENT RESULTS

1.7 OBJECTIVES OF CMS

1.8 SUMMARY

2.0 STABILIZATION: GROUNDWATER CAPTURE

2.1 OVERVIEW

- 2.1.1 HISTORY AND PHASES ON THE STABILIZATION INVESTIGATION
- 2.1.2 OBJECTIVES OF STABILIZATION
- 2.1.3 GROUNDWATER CAPTURE SYSTEM
- 2.1.4 GROUNDWATER PRETREATMENT
- 2.1.5 SVE SYSTEM

2.2 CURRENT STATUS

2.2.1 GROUNDWATER SAMPLING RESULTS

2.3 PERFORMANCE EVALUATION AND SHUTDOWN CRITERIA

- 2.3.1 PERFORMANCE EVALUATION
- 2.3:2 REFINEMENT OF SHUTDOWN CRITERIA
- 2.3.3 ESTIMATED DURATION
- 2.4 SUMMARY

3.0 PAWTUXET RIVER IRM RESULTS

- 3.1 OVERVIEW
- 3.2 PRELIMINARY TASKS
- 3.2.1 OBJECTIVES
- 3.2.2 IDENTIFYING AREAS OF EXCAVATION
- 3.2.3 PERMITTING
- 3.2.4 WASTE CLASSIFICATION
- 3.3 COFFERDAM EXCAVATION ACTIVITIES
- 3.4 EXCAVATION AND POST-EXCAVATION SAMPLING
- 3.5 PRE-TREATMENT AND OFF-SITE DISPOSAL
- 3.6 SUMMARY
- 4.0 PHERE AND MEDIA PROTECTION STANDARDS
- 4.1 OVERVIEW
- 4.2 PHERE CONCLUSIONS
- 4.2.1 GROUNDWATER
- 4.2.2 PAWTUXET RIVER SURFACE WATER
- 4.2.3 PAWTUXET RIVER SEDIMENT
- 4.3 PROPOSED MEDIA PROTECTION STANDARDS
- 4.3.1 GROUNDWATER

5.0 SCREENING OF CORRECTIVE MEASURES TECHNOLOGIES

- **5.1 OVERVIEW**
- 5.2 SCREENING CRITERIA
- 5.2.1 SITE CHARACTERISTICS
- 5.2.2 WASTE CHARACTERISTICS
- 5.2.3 TECHNOLOGY LIMITATIONS
- 5.3 APPLICABLE TECHNOLOGIES
- 5.3.1 IN SITU TREATMENT
- 5.3.1.1 Stabilization
- 5.3.1.2 Soil Vapor Extraction
- 5.3.2 CONTAINMENT
- 5.3.2.1 Hydraulic

- 5.3.2.2 Barrier Wall
- 5.3.3 EX SITU TREATMENT
- 5.3.3.1 Granular Activated Carbon
- 5.3.3.2 Aeration
- 5.3.4 DISCHARGE TO POTW

5.4 SUMMARY

6.0 IDENTIFICATION OF CORRECTIVE MEASURE ALTERNATIVES

- 6.1 PAWTUXET RIVER SOURCE CONTROL
- 6.1.1 OVERVIEW
- 6.1.2 ALTERNATIVE PR-1: NO ACTION
- 6.1.3 ALTERNATIVE PR-2: HYDRAULIC CONTAINMENT, PRETREATMENT, POTW DISCHARGE, AND SVE SOURCE CONTROL
- 6.1.4 SUMMARY

7.0 EVALUATION OF CORRECTIVE MEASURE ALTERNATIVES

- 7.1 OVERVIEW
- 7.2 CRITERIA FOR EVALUATING CORRECTIVE MEASURE ALTERNATIVES
- 7.3 PAWTUXET RIVER SOURCE CONTROL
- 7.3.1 ALTERNATIVE PR-1: NO ACTION
- 7.3.2 ALTERNATIVE PR-2: HYDRAULIC CONTAINMENT, PRETREATMENT, POTW DISCHARGE, AND SVE SOURCE CONTROL
- 7.4 SUMMARY

8.0 RECOMMENDED CORRECTIVE ACTION ALTERNATIVES

- 8.1 OVERVIEW
- 8.2 PAWTUXET RIVER SOURCE CONTROL
- 8.2.1 SELECTED CORRECTIVE MEASURE ALTERNATIVE
- 8.2.2 JUSTIFICATION FOR RECOMMENDED CORRECTIVE MEASURE ALTERNATIVE
- 8.3 SUMMARY

REFERENCES APPENDIX A